



TI-35563
10/760,535

1/17

**REPLACEMENT
SHEET**




FIG. 1




FIG. 2A

FIELD	VALUE
IE ID	0xDD
LENGTH	4
TO OUI	0x080028
TYPE	0x00

FIG. 2B

PROTOCOL VERSION				SUPPORTED FEATURE SET DESIGNATOR			
7	6	5	4	3	2	1	0
0	0	0	0	0	0	0	0

FIG. 2C




FIG. 3

3/17

24 OCTETS	8 OCTETS	4 OCTETS	n OCTETS	n OCTETS	n OCTETS
802.11 HEADER	TI SNAP	CONCATENATION 4X HEADER	CONCATENATED MSDU	CONCATENATED MSDU	CONCATENATED MSDU

180 FIG. 4A

1 OCTET	1 OCTET	1 OCTET	3 OCTETS	2 OCTETS
DSAP 0xAA	SSAP 0xAA	CONTROL 0x00	OUI TI-0x080028	TYPE WLAN=0x60D0

182 FIG. 4B

1 OCTET	1 OCTET	2 OCTETS
TYPE CONCAT 0x01	LEN 2	CONCATENATION FLAGS

184 FIG. 4C

4/17




FIG. 5A




FIG. 5B





FIG. 5C

190



5/17




FIG. 7A

FIG. 6




FIG. 7B




FIG. 7C




FIG. 8




FIG. 9A




FIG. 9B




FIG. 9C




FIG. 10A




FIG. 10B




FIG. 10C




FIG. 12

13/17

FIG. 11




FIG. 13

14/17




FIG. 14

15/17




FIG. 15




FIG. 16

